IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Yoshitaka Ito et al.

Confirmation No. 9629

Patent No.: 7,145,443

Issued: December 5, 2006

Serial No.: 10/697,614

Filed: October 29, 2003

Docket No.: 1018.1190101

Customer No.: 28075

For:

CASING STRUCTURE OF TRANSMITTER FOR USE IN TIRE CONDITION

MONITORING APPARATUS

Attention Certificate of Correction Branch

Commissioner for Patents

PO Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))

CERTIFICATE FOR ELECTRONIC TRANSMISSION:

The undersigned hereby certifies that this paper or papers, as described herein, are being electronically transmitted to the U.S. Patent and Trademark Office on this 18th day of December 2006.

By Kathley & Bookley

Sir:

Attached is Form PTO/SB/44 suitable for printing. The exact page and line number where the errors are shown correctly in the application file are:

Amendment filed June 12, 2006 at line 8 of page 3.

Please send the Certificate to Customer No. 28075

Dated: 12/18/06

Respectfully submitted,

Yoshitaka Ito et al.

By their Attorne

David M. Crompton, Reg. No. 36,772 CROMPTON, SEAGER & TUFTE, LLC

1221 Nicollet Avenue, Suite 800 Minneapolis, MN 55403-2420

Telephone: (612) 677-9050 Facsimile: (612) 359-9349 Approved for use through 0x100007. OBB 0551-0031
U.S. Plenten and Trahemank Office, 12. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information urriess it displays a valid OMB control number.

(App. Form PTC-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

SERVINION TE ST SOUTHERNION	
	Page 1_of 1_
PATENT NO. : 7,145,443	
APPLICATION NO.: 10/697,614	
ISSUE DATE : December 5, 2006	
INVENTOR(S) : Yoshitaka Ito et al.	
It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:	
Column 5 Line 7, delete "tat" and insert therefor – that –.	

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Crompton, Seager & Tufte, LLC 1221 Nicollet Avenue, Suite 800

Minneapolis, MN 55403-2420

This collection of information in required by 37 CPR 1-322, 1,323, and 1,324. This information is required to obtain or retain a benefit by the guide value by the USPT to proceed the processing of the processin